Amendments to the Claims

B3

- 1. (Original): A topical therapeutic skin treatment composition kit comprising a first phase composition comprising an effective amount of an antibacterial ingredient, an effective amount of an anti-inflammatory ingredient, an effective amount of a humectant ingredient, an effective amount of an antioxidant ingredient, and an effective amount of an exfoliant ingredient; and a separate second phase composition comprising an effective amount of an anti-inflammatory ingredient, an effective amount of a circulatory enhancement ingredient, and an effective amount of a prolonged moisturization ingredient.
- 2. (Currently Amended): A topical therapeutic skin treatment eomposition kit comprising a first phase composition comprising by weight from 1 to 60 percent purified water, 0.5 to 50 percent aloe vera gel, 2 to 15 percent polyvinol polyvinyl alcohol crystals, 5 to 50 percent glycerin, 0.1 to 3 percent seaweed extract, 0.05 to 0.2 percent triclosan, 0.1 to 1 percent pantothenic acid, 0.1 to 5 percent sage extract, 0.1 to 5 percent chamomile extract, 0.1 to 5 percent rose hips extract, and 0.05 to 0.25 percent methylparaben, and a separate second phase composition comprising by weight from 25 to 91 percent glycerin, 0.5 to 50 percent aloe vera gel, 0.1 to 5 percent sorbital, 0.1 to 1 percent pantothenic acid, and 0.05 to 2 percent nicotinic acid.
- 3. (Currently Amended): The skin treatment composition formulation of claim 2 comprising about 60 percent purified water, about 25.7 percent aloe vera gel, about 5 percent glycerin, about 8 percent polyvinol polyvinyl alcohol crystals, about 0.2 percent seaweed extract, about 0.2 percent triclosan, about 0.2 percent pantothenic acid, about 0.2 percent sage extract, about 0.2 percent chamomile extract, about 0.2 percent rose hips extract, and about 0.1 percent methylparaben in the first phase; and about 91 percent glycerin, about 5 percent aloe vera gel, about 3.6 percent sorbitol, about 0.2 percent patothenic acid, and about 0.2 percent nicotinic acid in the second phase.
- 4. 6. (Cancelled)



- 7. (Currently Amended): A topical therapeutic skin treatment composition comprising an effective amount of an anti-inflammatory ingredient, an effective amount of a circulatory enhancement ingredient, and an effective amount of a prolonged moisturization ingredient, wherein the anti-inflammatory ingredient includes aloe vera gel and pantothenic acid and the moisturizing ingredient includes sorbitol and glycerin.
- 8. (Currently Amended): The composition of Claim 7 wherein the anti-inflammatory ingredient includes aloe vera gel and panththenic acid, the circulatory enhancement ingredient is nicotinic acid, and the moisturizing ingredient includes sorbitol and glycerin.
- 9. (Original): The composition of Claim 7 further including an effective amount of yohimbine for circulatory enhancement.

10. (Withdrawn)

- 11. (New): A method of treating skin conditions topically comprising the steps applying a first phase composition comprising by weight from 1 to 60 percent purified water, 0.5 to 50 percent aloe vera gel, 2 to 15 percent polyvinyl alcohol crystals, 5 to 50 percent glycerin, 0.1 to 3 percent seaweed extract, 0.05 to 0.2 percent triclosan, 0.1 to 1 percent pantothenic acid, 0.1 to 5 percent sage extract, 0.1 to 5 percent chamomile extract, 0.1 to 5 percent rose hips extract, and 0.05 to 0.25 percent methylparaben; allowing the composition to dry; removing the first phase composition; applying a second phase composition comprising by weight from 25 to 91 percent glycerin, 0.5 to 50 percent aloe vera gel, 0.1 to 5 percent sorbital, 0.1 to 1 percent pantothenic acid, and 0.05 to 2 percent nicotinic acid; and leaving the second phase composition in place.
- 12. (New): The method of claim 11 wherein the first phase composition comprises about 60 percent purified water, about 25.7 percent aloe vera gel, about 5 percent glycerin, about 8 percent polyvinyl alcohol crystals, about 0.2 percent seaweed extract, about 0.2 percent triclosan, about 0.2 percent pantothenic acid, about 0.2 percent sage extract, about 0.2 percent chamomile extract, about 0.2 percent rose hips extract, and about 0.1 percent methylparaben; and the second

phase composition comprises about 91 percent glycerin, about 5 percent aloe vera gel, about 3.6 percent sorbitol, about 0.2 percent patothenic acid, and about 0.2 percent nicotinic acid.